






SPECIFICATIONS:

ELECTRICAL:

Voltage: 125 V AC

Current: 1.5 A

Contact resistance: 40 milli Ohms max.

Insulation resistance: 1000 M Ohms min. 500 V DC

Dielectric Strength: 500 V AC 1 minute

MECHANICAL:

Housing: PC

Housing Colour: White



Contact Material: Phosphor Bronze 6U" gold plating in contact area



Operating life: 750 cycles

ROHS COMPLAINT





Part code: JK-C5E-8P8C-06

Description: Cat 5e Tool less jack with 6U" gold plating in contact area





SECTION A-A



SPECIFICATIONS:

ELECTRICAL:

Voltage: 125 V AC

Current: 1.5 A

Contact resistance: 40 milli Ohms max.

Insulation resistance: 1000 M Ohms min. 500 V DC

Dielectric Strength: 500 V AC 1 minute

MECHANICAL:

Housing: PC

Housing Colour: White






Contact Material: Phosphor Bronze 6U" gold plating
in contact area

Operating life: 750 cycles

ROHS COMPLAINT

Part code: JK-C6-8P8C

Description: CAT. 6 Panel Jack
gold plating in contact area



SPECIFICATIONS:

ELECTRICAL:

Voltage: 125 V AC

Current: 1.5 A

Contact resistance: 40 milli Ohms max.

Insulation resistance: 1000 M Ohms min. 500 V DC

Dielectric Strength: 500 V AC 1 minute

MECHANICAL:

Housing: PC

Housing Colour: White

Contact Material: Phosphor Bronze 6U" gold plating in contact area

Operating life: 750 cycles






ROHS COMPLAINT

Part code: JK-C6-IDC-02

Description: CAT6 Keystone jack with cover

Part code: JK-C5E-IDC-02

Description: CAT5E Keystone jack with cover



SPECIFICATIONS:

ELECTRICAL:

Voltage: 125 V AC

Current: 1.5 A

Contact resistance: 40 milli Ohms max.

Insulation resistance: 1000 M Ohms min. 500 V DC

Dielectric Strength: 500 V AC 1 minute

MECHANICAL:

Housing: PC

Housing Colour: White

Contact Material: Phosphor Bronze 6U" gold plating in contact area

Operating life: 750 cycles

ROHS COMPLAINT

Part code: JK-C6-IDC-02

Description: CAT6 Keystone jack with cover

Part code: JK-C5E-IDC-02

Description: CAT5E Keystone jack with cover